

# DEPARTMENT OF COMMERCE **Patent and Trademark Office**

**COMMISSIONER OF PATENTS AND TRADEMARKS** Address:

Washington, D.C. 20231

APPLICATION NO. **FILING DATE** FIRST NAMED INVENTOR ATTORNEY DOCKET NO. 09/053,237 04/01/98 COHEN Ε CIS-032-B **EXAMINER** WM01/0801 CHARLES J. BARBAS ELALLAM, A 88 BLACK FALCON AVENUE PAPER NUMBER **ART UNIT** BOSTON MA 02210 2662

DATE MAILED:

08/01/01

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner of Patents and Trademarks** 

Office Action Summary			tion No.		Applicant(s)		
			237		COHEN, EARL		
			er		Art Unit		
			ELALL	1	2662		
The M. Period for Repl	AILING DATE of this communi Y	cation appears on th	e cover s	sheet with the co	rrespondence ad	dress	
THE MAILIN  - Extensions of t after SIX (6) M  - If the period for - If NO period for - Failure to reply - Any reply recei	NED STATUTORY PERIOD F G DATE OF THIS COMMUN ime may be available under the provisions ONTHS from the mailing date of this come reply specified above is less than thirty (3 r reply is specified above, the maximum si within the set or extended period for reply ved by the Office later than three months are erm adjustment. See 37 CFR 1.704(b).	ICATION. s of 37 CFR 1.136 (a). In no nunication. 30) days, a reply within the st latutory period will apply and y will, by statute, cause the a	event, howe atutory mini will expire S oplication to	ever, may a reply be tim mum of thirty (30) days SIX (6) MONTHS from t become ABANDONED	will be considered time the mailing date of this (35 U.S.C. § 133).	ely. communication.	
1)☐ Resp	onsive to communication(s) fi	led on					
		2b)⊠ This action i	s non-fir	nal.			
3) Since	3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of C	Claims						
4)⊠ Claim(	s) <u>1-3,9,11,12,15-18,20,21,2</u>	3-27,29-35 and 37-4	<u>4</u> is/are	pending in the a	pplication.		
	the above claim(s) is/a			-			
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-3, 9, 11, 12, 15-18, 20, 21, 23-27, 29-35, 37-44</u> is/are rejected.							
7) Claim(s) is/are objected to.							
	8) Claims are subject to restriction and/or election requirement.						
Application Pap			•				
		ne Evaminer					
<ul><li>9) The specification is objected to by the Examiner.</li><li>10) The drawing(s) filed on is/are objected to by the Examiner.</li></ul>							
					an and		
<ul> <li>11) The proposed drawing correction filed on is: a) approved b) disapproved.</li> <li>12) The oath or declaration is objected to by the Examiner.</li> </ul>							
	•	o by the Examiner.					
Priority under 3							
	wledgment is made of a claim	for foreign priority u	nder 35	U.S.C. \$ 119(a)	-(d) or (f).		
·	o) Some * c) None of:						
	Certified copies of the priority						
2. Certified copies of the priority documents have been received in Application No							
<ul> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
14) Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).							
17/LI MONITON	Hougement is made of a cidli	ii ioi domesiic piiom	y undel	JJ U.S.C. 9 119	(C).		
Attachment/c\							
Attachment(s)	erences Cited (PTO-892)		40. □	Intension O	/DTO /40\ D	-(-)	
16) 🔲 Notice of Drat	erences Cited (P10-892) ftsperson's Patent Drawing Review ( isclosure Statement(s) (PTO-1449) R		18)     19)     20)		(PTO-413) Paper N atent Application (P		

U.S. Patent and Trademark Office PTO-326 (Rev. 01-01)

# **DETAILED ACTION**

This is responsive to the RCA and amendment filed on May 10, 2001. The amendment has been entered.

#### Information Disclosure Statement

1. It has been already indicated in the final office action that the information disclosure statements filed on May 10, 1999 and June 16 fail to comply with 37 CFR 1.98(a)(1), which requires a list of all patents, publications, or other information submitted for consideration by the Office. It has been placed in the application file, but the information referred to therein has not been considered. For the references to be considered they must be listed on **PTO Form 1449.** 

# Claim Objections

Claims 20, 29 and 30 are objected to because of the following informalities:
 In claim 20, the phrase "the hash value" lacks antecedent basis.

Claims 29 and 30 are dependent upon the deleted claim 28. It is assumed at this point that claims 29 and 30 are intended to depend from claim 26.

Appropriate correction is required.

# Claim Rejections - 35 USC § 112

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 2, 15, 16 and 25 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 2, it is not clear what is meant by the phrase "the plurality of means for transferring packets includes at least one uplink connection to an external network and at least one port data adapter connected to an external data interface component". The meaning of the phrase is vague because it does not provide the functions of the data port adapter and the external data interface component.

In claim 15 and 16, the limitation "network interfaces include port adapters" is vague, because the function of the "port adapter" is missing.

Claim 25 is amended to overcome 112 indefiniteness raised in the final action, however, claim 25 as amended does not conform to the marked version showing changes.

## Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

Claims 1, 2, 17, 18, 20, 21, 23, 24-27, 29-35, and 37-44 are rejected under 35 U.S.C. 102(e) as being anticipated by Imai et al, US (6,175,874).

Regarding claim 1, with reference to Figures 1 and 14, Imai discloses a routing system for distributing packets in a network, the system comprising:

- a plurality of user terminals 5A, 5B,...,5M. (Corresponding to a plurality of means for transferring packets to a destination and from a source); and
- a plurality of processing nodes, 3A, 3B, ..., 3N, and
- a relay device 1 that comprises a distribution control table 10, the distribution control table stores information for selecting processing nodes (processing engines) by hashing using some pattern relating to the transmission origin and destination of packets, see column 3, lines 45-62. Imai also discloses that the relay device distributes a received packet to a selected processing node from among nodes 3A-3N using the protocol type, transmission origin address (source address), transmission origin port, and destination port, see column 4, lines 57-64. Imai further discloses that packet of the same VC (virtual connection), the packet is delivered to the same processing node.

(Corresponding to a mechanism that performs a hashing function on at least a portion of network layer information, in the packet transferred to the routing system, to determine an approximately even distribution of the packets to the route processing engines for processing by the engines, and means for determining packets belonging to the same flow and their original order from the network layer information of the packets, the network layer information including at least the same source/destination and protocol, and means for preserving the original ordered packet flows by sending each ordered packet flow to a single route processing engine).

Regarding claim 2, as understood, with reference to Figure 16, Imai discloses an external network 4, Imai also discloses routing Internet traffic, see column 4, lines 30-35.

Regarding claim 17, Imai discloses a method for selecting one processing node of a plurality of processing nodes 3A, 3B, ..., 3N, for processing at least one packet the method comprising:

-a relay device 1 that comprises a distribution control table 10, the distribution control table stores information for selecting processing nodes (processing engines) by hashing using some pattern relating to the transmission origin and destination of packets, see column 3, lines 45-62. Imai also discloses that the relay device distributes a received packet to a selected processing node from among nodes 3A-3N using the protocol type, transmission origin address (source address), transmission origin port, and destination port, see column 4, lines 57-64. Imai further discloses that packet of the same VC (virtual connection), the packet is delivered to the same processing node. (Corresponding to hashing at least a portion of network layer information of at least one packet to determine a distribution of packets to the processing engines; determining from the network layer information, including at least the source/destination and protocol, the at least one packet that belongs to an ordered packet flow, and selecting the one processing engine to process the at least one packet thereby preserving the ordered packet flow).

Regarding claim 18, Imai discloses that the relay device distributes a received packet to a selected processing node from among nodes 3A-3N using the protocol type, transmission origin address (source address), transmission origin port, and destination

port, see column 4, lines 57-64. (Corresponding to the network layer flow information comprises one or more of the following network information: a network source address of the at least one packet, a network destination address of at least one packet, a source port of at least one packet, and a protocol type value of at least one packet).

Regarding claim 20, Imai discloses pattern matching and hashing. Therefore logically XORing the addresses, the port, and the protocol value.

Is inherent to Imai because it is needed for pattern matching.

Regarding claim 21, with reference to Figure 2, Imai discloses a pattern table that that stores information indicating the transfer address/port as arguments for the hash function, a node table 10N in combination with the pattern table, the node table is a hash table with processing nodes as an index of hash results. See column 4, lines 65-67 and column 5, lines1-14. (Corresponding to providing a table containing entries for use in selecting the one processing engine; and selecting one entry in the table specified by an index value, the index value being based upon the hash value, and using the index value to direct the selection of the one processing engine for those related packets that belong to the same packet flow).

Regarding claim 23, Imai discloses that it is possible to easily change the distribution destination of packets, considering the circumstances of processing load dispersion, kinds of packets or nodes. See column 12, lines 15-31. (Corresponding to the at least one packet is the one of a plurality of packets, and the step of hashing is performed using a hashing function that causes the packets to be at least mostly evenly distributed among the processing engines).

Regarding claim 24, Imai discloses that the processing nodes are comprised in a routing system, see Figure 16 and column 2, lines 1-3.

Regarding claim 25, as understood, Imai discloses a relay device 1 that comprises a distribution control table 10, the distribution control table stores information for selecting processing nodes (processing engines) by hashing using some pattern relating to the transmission origin and destination of packets, see column 3, lines 45-62. Imai also discloses that the relay device distributes a received packet to a selected processing node from among nodes 3A-3N using the protocol type, transmission origin address (source address), transmission origin port, and destination port, see column 4, lines 57-64. Imai further discloses that packet of the same VC (virtual connection), the packet is delivered to the same processing node. (Corresponding to at least one ordered packet flow comprises a plurality of original ordered packet flows, and the step of hashing is performed such that only a single respective processing engine is selected to process respective packets belonging to a respective ordered packet flow).

Regarding claims 26, 27, 29, 30, 31, 34, 32 and 33, claim 26, 27, 29, 30, 31, 34, 32 and 33 have substantially the same claim limitations as in claims 17, 18, 20, 21, 25, 25, 23 and 24 respectively, thus they are subject to the same rejection.

Note: claims 29 and 30 are treated as if they depend from claim 26 and not 28. See the objection remarks above.

Regarding claims 35, 37-43, claims 35, 37-43 have substantially the same scope of claims 17, 18, 20-25, thus they are subject to the same rejection.

Regarding claim 44, claim 44 has similar scope as in claim 1, thus it is subject to the same rejection.

### Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 9 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imai.

Regarding claim 11, with reference to Figures 1 and 14, Imai discloses a routing system for distributing packets in a network, the system comprising:

- a plurality of user terminals 5A, 5B,...,5M. (Corresponding to a plurality of means for transferring packets to a destination and from a source); and
- a plurality of processing nodes, 3A, 3B, ..., 3N, and
- a relay device 1 that comprises a distribution control table 10, the distribution control table stores information for selecting processing nodes (processing engines) by hashing using some pattern relating to the transmission origin and destination of packets, see column 3, lines 45-62. Imai also discloses that the relay device distributes a received packet to a selected processing node from among nodes 3A-3N using the protocol type, transmission origin address (source address), transmission origin port, and destination port, see column 4, lines 57-64. Imai further discloses that packet of the same VC

(virtual connection), the packet is delivered to the same processing node. It is inherent to Imai's system to include a plurality of network interfaces, because they are needed for different components of the system to interface other entities such as interfaces between user terminals and the External network (See Figure 1).

Imai also discloses that the relay device interconnect the user terminals and the plurality of processing nodes.

Imai does not disclose that each plurality of network interfaces uses a hashing function to determine a distribution of packets among the plurality of processing nodes.

However, it would have been obvious to an ordinary person of skill in the art, at the time of the invention to have Imai hashing mechanism distributed and carried out at network interface units so that distributed processing (hashing) can be implemented.

Regarding claim 9, Imai does not explicitly disclose that his routing system is scalable, however, it would have been obvious to a person of ordinary skill in the art, at the time of the invention, to render Imai's system scalable as suggested by Imai's system structure of distributed processing nodes.

7. Claims 3 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over lmai in view of Varghese et al, US (5,905,723).

Regarding claims 3 and 12, Imai discloses substantially all the limitations of claim 3 and 12, except that Imai does not discloses that the relay device includes a crossbar.

However, with reference to Fig .1 and 2, Varghese discloses a scalable routing system for distributing packets in a network, comprising a crossbar switch interconnecting the network interfaces and the FE (forwarding engines).

Therefore, it would have been obvious to an ordinary person of skill in the art, at the time of the invention to have the relay device of Imai to include the crossbar switch of Varghese so that routing of data would be much faster.

# Response to Arguments

8. Applicant's arguments with respect to the claims have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to AHMED ELALLAM whose telephone number is (703) 308-6069. The examiner can normally be reached on 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kizou Hassan can be reached on (703) 305-4744. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9314 for regular communications and (703) 872-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-4700.

AE July 26, 2001

HASSAN/KIZOU

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600